



B&W TRAILER HITCHES

Turnoverball™

Gooseneck Hitch

Defender™

LockinG Gooseneck
coupler

Companion™

5th Wheel Hitch

The Patriot 16K™

5th Wheel Hitch

Tow & Stow

receiver Hitch

4" Extender

Extend-A-Goose

16K Receiver Hitch


Hitch Balls

Ball Mounts

Pintle Plates

Cab Protector


Utility Rack



Your whole rig is riding on that hitch... ever wonder who built it?

B&W Products

- 4 t urnoverball™
Gooseneck Hitch
- 6 Defender™
Locking Gooseneck coupler
- 8 short Bed solutions
4" extender
extend-A-Goose
- 10 companion™
5th Wheel Hitch
- 12 the p atriot 16k™
5th Wheel Hitch
- 14 t ow & stow
receiver Hitch
- 16 receiver Hitches
- 17 pintle plates
- 17 Ball Mounts
- 17 Hitch Balls
- 18 cab protector
- 19 utility rack



B&W has been building towing products you can trust for over twenty years.

Along the way we've also built a reputation for innovative design solutions executed with the highest quality workmanship and materials.

While our competitors may assemble foreign-bought parts in the us , a B&W hitch is built from start to finish in our state-of-the-art facility here in the heartland.

We utilize the latest computer controlled technology available, including robotic welding, but it takes more than equipment to build a B&W hitch. We truly believe that it's the skill and dedication of a craftsman that makes the difference in our products.

B&W is an employee owned company and everyone here has a stake in building a hitch you can count on.

Tow with confidence - Tow with B&W.





**A hitch
when you need it...
a level bed when you don't.**



Remove Ball



Turn Ball Over



Replace Ball In Socket


B&W Turnoverball™ Gooseneck Hitch

CONVERTS TO A LEVEL BED IN SECONDS

Solid, One-Piece
Machined Receiver Socket

Solid, Machined 2 5/16" Ball

Durable Powder-Coat Finish



Only a 4" hole in the bed

Bolts to existing holes in the frame
with no drilling or welding

**30,000 LB. GTW
7,500 LB. VTW**
DO NOT EXCEED VEHICLE TOW RATINGS

LIMITED LIFETIME WARRANTY

Flexible latch pin handle attached to a spring loaded, 5/8" steel locking pin that goes completely through the ball



turnoverball™ Accessories



kingpin



4" extender

**20,000 LB. GTW
5,000 LB. VTW**
DO NOT EXCEED VEHICLE TOW RATINGS



eyelet



inverted Ball



3" Ball



Hi-rise Ball
(1" taller than standard ball)

**20,000 LB. GTW
5,000 LB. VTW**
DO NOT EXCEED VEHICLE TOW RATINGS



companion™
5th Wheel Hitch



www.turnoverball.com



Locking Coupler



Locks on...
or off your truck



Lock is fully integrated into coupler with a mechanical shutter to keep out debris.



- **Integrated Lock**
Secures your investment with an integrated theft deterrent
- **Automatic Latch**
Line up the ball, drop the trailer, and you're on the road!
- **Heavy Wall Tubing**
Above industry standard
- **Increased Vertical Adjustment**
Extra hole for even more adjustment!



25,000 LB. GTW
7,500 LB. VTW
DO NOT EXCEED VEHICLE TOW RATINGS
LIMITED 1 YEAR WARRANTY

Large Bullseye
Cone shaped coupler makes lining up easier

All moving parts are plated, and can be serviced

www.turnoverball.com

Automatic Latch



open handle to prepare for latching



Latch will engage automatically when lowered onto the ball



B&W Short Bed Solutions

MORE TURNING CLEARANCE FOR YOUR SHORT BED TRUCK.

*** WARNInG:**

turning clearance problems may be encountered when towing gooseneck trailers with short bed models.




4" Extender

offsets BALL 4"

- Moves pivot point rearward four inches
- removable, works as an accessory to the turnoverball™
- Made from 3/4" steel plate

20,000 LB. GTW
5,000 LB. VTW
DO NOT EXCEED VEHICLE TOW RATINGS





Extend-A-Goose

offsets trAIler 10"

- sleek oeM appearance
- self-aligning coupler design
- Heavy wall tube with internal gussets provide maximum strength
- easier hook ups with more clearance at the tailgate and trailer
- fits all standard 4" i.D. round trailer tubes
- funnel shaped coupler for easier hook-ups
- Accommodates padlock for theft prevention

24,000 LB. GTW
6,000 LB. VTW
DO NOT EXCEED VEHICLE TOW RATINGS
LIMITED 1 YEAR WARRANTY





B&W Companion™ 5th Wheel Hitch

EASILY CONVERTS TO A LEVEL BED



1" thick, wrap-around jaws fit kingpin perfectly, eliminating sloppy starts and stops.



polyurethane bushings provide a quiet, rattle free towing experience.



Cam action latching handle for easy release, even when parked on unlevel sites

- Fully articulating head allows front to back and side to side pivoting.
- Three vertical adjustments from 14.75" to 16.75"
- 4" of front to back adjustment with three coupler positions

18,000 LB. GTW
4,500 LB. VTW
 DO NOT EXCEED VEHICLE TOW RATINGS
 LIMITED 5 YEAR WARRANTY

Utilizes the B&W Turnoverball™ under-bed mounting system. Pull a Gooseneck or a 5th Wheel with the same system.

No mounting rails means using your truck for more than towing.

Wide stance, engineered for improved stability and strength



Ever use your truck when you're not towing?

We thought you did!

Installs & Removes Easily



companion™ installed



remove coupler



remove Base



use your truck bed for something else.



Fifth Wheel Hitch

Easy to Reach,
Cam Action Handle

Fully articulating head
allowing front to back and
side to side pivoting.

4" of front to back adjustment
with three coupler positions

Four vertical adjustments
from 16" to 19"



Fits all Standard Mounting Rails



3/4" wrap around jaws for a strong,
worry-free connection

Polyurethane bushings prevent metal
to metal contact.



Same Rails... Better Hitch

- American Steel
- American Quality
- Priced like an Import

16,000 LB. GTW
4,000 LB. VTW
DO NOT EXCEED VEHICLE TOW RATINGS

LIMITED 5 YEAR WARRANTY


www.turnoverball.com





B&W Tow & Stow

STOWS UNDER THE VEHICLE WHEN NOT IN USE




- Fits any standard 2" receiver
- Easily locked into the receiver tube to prevent theft
- Height adjusts in 1" increments
- Solid, stainless steel pins

Durable powder-coat finish (also available in chrome)

2 process plating to help prevent corrosion

Multiple ball sizes eliminate the need for multiple ball mounts



MANUFACTURED FROM HIGH YIELD TUBING



Rotate the Ball
to the Desired size



Adjust the Height
raise or Lower



Stow the Hitch
under the vehicle

Available Adjustments

Model 12	Model 10	Model 8	Model 6
9" Drop 9 1/2" rise	7" Drop 7 1/2" rise	5" Drop 5 1/2" rise	3" Drop 3 1/2" rise



Available Ball combinations

Dual-ball combination	Dual-ball combination	tri-ball combination
2 5/16"	2"	1 7/8"
2"	1 7/8"	2"
		2 5/16"



tow & stow hitches are available with the licensed Browning logo.



**B&W
Tow & Stow™
with Drop Down Pintle**



Pintle Up
ready to hook on.



Pintle Down
ready to tow.



Stowed
Ready to go.





B&W 16K Heavy-Duty Receiver Hitch

- Three Piece Interlocking Design
- Six Point Frame Mount
- Grade 8 Mounting Hardware
- Boxed for Product Protection and Easier Shipping



Durable, High Gloss Powder Coated Finish

Steel Gusset with Safety Chain Openings

2" Receiver Tube



Includes Trailer Plug Bracket

CLASS 16,000 LB. GTW
1,600 LB. VTW
DO NOT EXCEED VEHICLE TOW RATINGS
LIFETIME LIMITED WARRANTY

B&W AMericAn MADE Heavy-Duty Towing Accessories



Heat t reated

chrome finish

specialty and Heat t reated Hitch Balls

HB94001	2 5/16 x 1 x 2-1/2, 12k raw, no rise, 14 tpi
HB94002	2-5/16 x 1-1/4 x 2-1/2, 24k raw, 1" rise, 12 tpi
HB94003	2-5/16 x 1-1/4 x 3-1/4, 24k raw, 1" rise, 12 tpi
HB94004	2-5/16 x 1-1/4 x 2-1/2, 30k raw, no rise, 12 tpi
HB94005	2-5/16 x 1-1/2 x 2-3/4, 30k raw, 1" rise, 12 tpi
HB94006	2-5/16 x 1-1/2 x 2-3/4, 30k raw, 2" rise, 12 tpi
HB94007	2-5/16 x 1-3/8 x 2-3/4, 30k raw, 1" rise, 12 tpi
HB94008	3 x 2 x 3-1/4, 30k raw, no rise, 12 tpi
HB94009	2-5/16 x 2 x 3-1/2, 30k raw, no rise, 4.5 tpi
HB94011	2-5/16 x 2-3/16 x 4, 30k raw, no rise, no threads
HB94012	Ball collar 2.199 iD x 2" t all
HB94013	Ball collar 2.199 iD x 3" t all
HB94050	2-5/16 x 1-1/4 x 2-1/2, 16k chrome, no rise, 12 tpi



Heavy Duty Ball Mounts

High Gloss powder coat finish

BMHD30010	2" Drop, 6" shank
BMHD30011	2" Drop, 8" shank
BMHD30012	4" Drop, 6" shank
BMHD30013	4" Drop, 8" shank
BMHD30014	6" Drop, 6" shank

CLASS 16,000 LB. GTW
1,600 LB. VTW
DO NOT EXCEED VEHICLE TOW RATINGS



Heavy Duty Pintle Plate

High Gloss powder coat finish

PMHD14001	6 Hole, 2 position, 9" shank
PMHD14002	8 Hole, 3 position, 9" shank
PMHD14003	8 Hole, 3 position, 11" shank
PMHD14004	14 Hole, 6 position, 13" shank
PMHD14005	14 Hole, 6 position, 15" shank


CLASS 16,000 LB. GTW
1,600 LB. VTW
DO NOT EXCEED VEHICLE TOW RATINGS





B&W Cab Protectors

Models available to fit most full sized trucks



LED lights with chrome accents

Tie down bracket

Grab handle


Durable, high gloss powder coated finish in black or white



optional Beacon Light Bracket



Light not included



optional Light Bar Bracket



Light not included



www.turnoverball.com

B&W Utility Rack

Removable rack for long and short bed trucks

Durable, powder coated finish

Rated to 500 lbs



Tie down brackets on all four corners

Easily adjusts to fit long or short bed trucks

Weight rests on bed rails not in stake pockets



Utilizes B&W Turnoverball™ Gooseneck Hitch for single point attachment



Maintains full use of truck bed.





B&W Trailer Hitches
1216 Hwy 224
Humboldt, ks 66748
800-248-6564

www.turnoverball.com

