

# FIRST IN FIFTH WHEELS

Reese®, the brand that started the RV towing industry, continues to lead it today. Over half the fifth wheels on the road are towed by Reese fifth wheel hitches, providing unmatched safety, reliability, and performance.



### 16K Fifth Wheel Hitch

- 16,000 lbs. gross;
- 4,000 lb. pin weight capacity
- Adjustment height - 14-1/2" to 18-1/4"
- Quick installation - removes in seconds
- Fore-and-aft and side-to-side 4-5° pivot
- Limited lifetime warranty



### 20K Fifth Wheel Hitch

- 20,000 lbs. gross,
- 5,000 lbs. pin weight capacity
- 14" to 18" vertical height adjustment
- Quick installation - removes in seconds
- Features Reese Elite Series head
- Limited lifetime warranty



### 22K Fifth Wheel Hitch

- 22,000 lbs. gross,
- 5,500 lbs. pin weight capacity
- Adjustment height - 14-1/4" to 18-1/4"
- 6 Degrees side to side pivot
- Quick installation - removes in seconds
- Limited lifetime warranty



### 30K Low Profile Fifth Wheel Hitch

- 30,000 lbs. gross;
- 7,500 lbs. pin weight capacity
- Vertically adjust 3"
- Side-tilt design
- Easily accessible handle
- Ideal for medium duty conversion trucks
- Limited lifetime warranty



### Elite Fifth Wheel Hitches

- 18K model - 18,000 lbs. gross,
- 4,500 lbs. pin weight capacity
- 25K model - 25,000 lbs. gross,
- 6,250 lbs. pin weight capacity
- Wider footprint for increased stability
- Custom vehicle-specific mounting kits
- Limited lifetime warranty

## FIFTH WHEEL SLIDERS AVAILABLE



### Sqaure Tube Slider

- Fits 16K & 20K Fifth Wheels



### Elite Slider

- Fits 18K Elite Fifth Wheels

**REESE**  
PIONEERING  
PERFORMANCE

Don't forget to ask about our Vehicle Specific Quick Install Brackets...they'll reduce installation time by up to 50%. Save time and money!

## FIFTH WHEEL HITCHES

### FIFTH WHEEL HITCHES

Reese® Elite™ Fifth Wheel Hitches

Reese® Elite™ Slider

Reese® Elite™ Rail Kits

Reese® Fifth Wheel Hitches

Draw-Tite® Fifth Wheel Hitches

Pro Series™ Fifth Wheel Hitches

Fifth Wheel Sliders

### FIFTH WHEEL HITCH ACCESSORIES

Lube Plates

Accessory Kit

Chain Bracket Kit

Pull Pin Lock Plates

Fifth Wheel Locks

Fifth Wheel Rail Kits

Fifth Wheel Adapter Brackets

### FIFTH WHEEL APPLICATIONS

Fifth Wheel Application Guide





**ELITE™**



30143



Includes 90° Wire Harness 50-97-410



30142



Includes 90° Wire Harness 50-97-410



30144

**PRE ASSEMBLED 25K ELITE™**

- 25,000 lbs. gross / 6,250 lbs. pin weight capacities
- 14" – 16-1/2" vertical adjustment
- Improved 4 way head pivot
- 4° side to side pivot for better control
- Forged single jaw
- Increased king pin/jaw contact design
- Self latching jaw design
- King pin indicator
- Wider footprint for increased stability
- Stamped rounded head
- Wider 9" (vs 6") king pin funnel area on head
- Vehicle specific under bed mounting kits
- Lockable handle (lock sold separately)
- 1/4" turn handle "quick lock" mount system
- Non-pin mounting reduces slop
- Contemporary 21st century appearance
- Folding tab washers for easy installation
- Extended length handle
- Pre-assembled fifth wheel units
- Saves approximately one hour of assembly time
- Foot assembly is hand tightened
- Includes wrench to tighten foot assembly
- Shipped in one convenient carton
- Limited lifetime warranty

Part No.	Description
30143	25K Elite™

Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder™. Will not fit trucks with flareside/stepside.

**PRE ASSEMBLED 18K ELITE™**

All 25K features other than gross and pin weight capacity.

- 18,000 lbs. gross / 4,500 lbs. pin weight capacities
- 14" – 18" vertical adjustment

Part No.	Description
30142	18K Elite™ - pre assembled
30144	18K Elite™ with Slider - pre assembled

Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder™. Will not fit trucks with flareside/stepside.

**ELITE™ SLIDER**

Designed for short bed and extended cab short bed pickups to provide additional turning clearance and to prevent damage to truck and trailer in tight locations at low speeds.

- 10" travel
- Fits 18K Elite™ fifth wheel
- Round rail design allows for smoother operation
- Operation from either side of unit (handle can be mounted on either side)
- Angled steel rollers reduces binding
- Operates even when vehicle not in straight line
- Operation up to 45° angle.
- Lock pin for additional security
- Rubber grip handle for comfortable operation
- The vertical adjustment is limited to 16" - 18"



30070

Part No.	Description
30070	Elite™ Slider, for use with the 18K Elite™ fifth wheels only

**ELITE™**




**ELITE™ RAIL KITS**

Elite™ Rail Kits are designed for use with the Elite™ Systems only.

- “Power Puck” mounting system provides uninhibited use of truck bed when fifth wheel or gooseneck is dismounted
- Wider platform/mounting footprint (increased stability)
- Custom-fit under-bed mounting system
- Black powder coat finish

**REESE**

**SEE APPLICATION GUIDE FOR VEHICLE SPECIFIC RAIL KITS**



**ACCESSORY/REPLACEMENT PARTS**

Part No.	Description
30149	Elite™ Rail Kit Accessory, Plastic Bedliner Puck Adapter Kit (includes: (4) Pucks & (4) Spacers)
58458	Replacement Part, Trim Rings (4) for GM and Dodge Elite™ Rail Kits



**RAIL KIT MOUNTING ADAPTER**

- 20,000 lbs. gross/5,000 lbs. pin weight capacity
- SAE J2638 fatigue and static tested
- Use with Ford OEM under-bed rail kit or Reese® Elite™ under-bed rail kits
- The robust Reese adapter will not touch or scratch the truck bed
- Works with any 15K, 16K, or 20K standard fifth wheel hitch
- Uses the fast and secure Reese® patented latching system
- Built-in handles for safe, easy installation and removal
- Limited lifetime warranty

Part No.	Description
30156	Rail Kit Mounting Adapter



**REESE® R16 FIFTH WHEEL**

Reese®, the brand that started the towing industry once again revolutionizes the fifth wheel hitch with the introduction of the new R16. Reese® remains unmatched in safety, reliability and performance.

- 16,000 lbs. gross / 4,000 lbs. pin weight capacities
- Optional slider available for additional turning clearance
- NEW CONTOURED HANDLE
  - Customized grip includes universal control instructions
  - New control handle eliminates separate latch and high visibility for system lock and load
- PREMIUM REESE ARCH
  - Pin mounting holes better align with current rail kits, reducing looseness
  - SAE J2638 COMPLIANT
  - Based on heavy duty, accelerated life cycle criteria developed by SAE for fifth wheels
  - Fatigue and static tested to pass 900,000 cycles
- SIDEWINDER COMPATIBLE
  - Premium choice for short bed trucks
- NEW CAST HEAD
  - Commercial durability and strength
  - Improved head funneling for king pin to latch
  - Patent pending king pin indicator is highly visible
- NEW CAST JAW SYSTEM
  - Double jaw mechanism, heavier for longer wear, improved tolerances, eliminating chucking in jaw system
  - Improved life and wear with added grease points
- NEW CAST PIVOT BEAM
  - Incorporates a vibration isolator system for vertical and longitudinal vibration dampening and improved ride
  - Wider mounting for better stability and reduced wear
  - Easier assembly of cast pivot beam to cross member
  - Vertical height adjustment from 14" to 18"
  - Head and pivot beam can be offset 1" front or rear to maximize performance
  - Requires rails & installation kit (sold separately)
- Limited lifetime warranty



CONTOURED HANDLE



CAST HEAD & JAW



CAST PIVOT BEAM

Part No.	Description
<b>30866</b>	R16 Fifth Wheel Hitch
<b>30869</b>	R16 Fifth Wheel Hitch and Round Tube Slider

*Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder™. Will not fit trucks with flareside/stepside.*

**REESE® R20 FIFTH WHEEL**

- 20,000 lbs. gross / 5,000 lbs. pin weight capacities
- All R16 features PLUS additional longitudinal dampening located in crossbar to improve towing when going over pot holes and rough terrain
- Optional slider available for additional turning clearance

Part No.	Description
<b>30867</b>	R20 Fifth Wheel Hitch
<b>30870</b>	R20 Fifth Wheel Hitch and Round Tube Slider

*Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder™. Will not fit trucks with flareside/stepside.*

**New**

**REESE® ROUND TUBE SLIDER**

- Up to 20,000 lbs
- 11” travel rearward from center of rail
- Slider system re-engineered to be the best in the industry
- Current slider systems expanded to give true ease and precision
- Contoured rollers float from side to side to accommodate mounting systems that may not be fully square
- Embossed roller supports for low friction and longer wear
- Forged mounting feet for wide consistent attachment to rails
- Updated pin mounting holes to better align with the current rail kits and reduce play
- Plated rails hold up longer for extended wear
- SAE J2638 COMPLIANT
  - First slider engineered and tested to SAE J2638
  - Based on heavy duty, accelerated life cycle criteria developed by SAE for fifth wheel and gooseneck
  - SAE J2638 is a fatigue and static requirements of new European style test of 900,000 cycles
  - New customized grip includes universal control instructions

Part No.	Description
50024	Round Tube Slider

**New**



**REESE® CUSTOM MOUNTED RAIL KIT**

- SAE J2638 COMPLIANT
  - Based on heavy duty, accelerated life cycle criteria developed by SAE for fifth wheels
  - J2638 are fatigue and static requirements based on the European style test of 900,000 cycles
- HARDWARE
  - Grade 8 hardware, meets all Canadian requirements
- FAST CUSTOM MOUNT SYSTEM
  - Rails are wider (48”) for faster install , because the mounting points are outside the truck frame, allowing the installer to avoid under-bed components

Part No.	Description
30153	Reese® Outboard Fifth Wheel Mounting Rails Only (10 bolt design)

**REESE® FIFTH WHEEL OUTBOARD INSTALLATION BRACKETS AND HARDWARE**



56001

Part No.	Description
56001	Reese® Outboard Fifth Wheel Bracket Kit for 2011 Chevy/GMC 2500/3500HD
56001-53	Reese® Outboard Fifth Wheel Rail and Bracket Kit (Includes #56001 & #30153) for 2011 Chevy/GMC 2500/3500HD (10 Bolt)
56002	Reese® Outboard Fifth Wheel Bracket Kit for 2011 Ford Super Duty 250/350
56002-53	Reese® Outboard Fifth Wheel Rail and Bracket Kit (Includes #56002 & #30153) for 2011 Ford Super Duty 250/350 (10 Bolt)



30054

### REESE® 30K FIFTH WHEEL LOW PROFILE HITCH

- Low profile design can be vertically adjusted 3" to permit level trailering (9-1/2" to 12-1/2") above vehicle deck
- Side-tilt design reduces vehicle frame stress, creating a smoother, more comfortable ride and making hook-up and un-hook much easier
- Specially designed and engineered for the serious tower, primarily on medium-duty conversion trucks
- Actuating handle is more easily accessible than most fifth wheels, making hook-up quicker and more convenient
- 30,000 lbs. capacity; 7,500 lbs. pin weight capacity
- Limited lifetime warranty

Part No.	Description
30054	Reese® 30K Fifth Wheel Complete Base rails not used with this model. Mounts directly to medium-duty truck

Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder™. Will not fit trucks with flareside/stepside.

### REESE® 22K FIFTH WHEEL

Features side-to-side pivot to better accommodate hook-ups on uneven ground. Quick installation, strong, reliable performance and easy removal to allow full truck bed access.

- Two-jaw locking system
- Fore-and-aft and side-to-side pivot
- Locking jaw handle
- Vertically adjusts from 14-1/4" to 18-1/4"
- 22,000 lbs. towing capacity
- 5,000 lbs. pin weight capacity
- Solid base assembly for superior stability
- Requires rails & installation kit (sold separately)
- Limited lifetime warranty



30033

Part No.	Capacity	Pin Capacity	Adjustment Heights
30033	22,000 lbs.	5,000 lbs.	14-1/4" to 18-1/4"

Rails and installation kit must be ordered separately (#30035).

Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder™. Will not fit trucks with flareside/stepside.



Includes 90° Wire Harness 50-97-410

### REPLACEMENT PARTS

Part No.	Description
30729	22K Head Assembly with pivot beam (Reese®)
30730	22K Base Assembly with adj. brackets (Reese®)
58187	22K Pivot Beam only (Reese®)
58099	22K Head only (Reese®)
58385	22K Adjustment bracket

# THE FIFTH WHEEL YOU KNOW, BUT BETTER!



Reese® 20K fifth wheel



30081

Reese® 20K fifth wheel  
offered with round tube slider



30083

Reese® 20K fifth wheel  
offered with square tube slider



30084



**TOWING HAS NEVER BEEN EASIER WHEN USING  
THE REESE® 20K FIFTH WHEEL SYSTEM.**

Features our Elite™ head, with the base and mounting kit that you already know & love from our Reese® line of fifth wheel hitches!

The above bed rail system uses the popular universal mounting kit 30035 (sold separately) or the vehicle specific custom quick install kits which reduce install time by up to fifty percent.

## REESE® 20K FIFTH WHEEL

- 20,000 lbs. gross / 5,000 lbs. pin weight capacities
- 14" to 18" vertical height adjustment
- Features Elite™ Series head...
  - Tough, heavy-duty stamped head looks just like the ones on the real tractor-trailers!
  - 4 way (front & back/side-to-side) head pivot
  - 6° side-to-side head pivot
  - King pin indicator
  - Increased king pin contact design
  - Wider 9" king pin funnel area
  - Forged single jaw
  - Self-latching jaw design
- Limited lifetime warranty

Part No.	Description
30081	Reese® 20K Fifth Wheel
30083	Reese® 20K Fifth Wheel with round tube slider
30084	Reese® 20K Fifth Wheel with square tube slider

Rails and installation kit must be ordered separately (#30035).

Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder™. Will not fit trucks with flareside/stepside.





30047

### REESE® 16K FIFTH WHEEL

Featuring side-to-side pivot action to better accommodate hook-ups on uneven ground. Quick-easy installation, strong performance and easy removal in just seconds to allow full access to the truck bed.

- Two-jaw locking system
- Fore-and-aft and side-to-side 4°-5° pivot
- Locking jaw handle
- Vertically adjusts from 14-1/2" to 18"
- 16,000 lbs. towing capacity
- 4,000 lbs. pin weight capacity
- Wide stance one-piece legs for improved stability
- Requires rails & installation kit (sold separately)
- Limited lifetime warranty

Part No.	Capacity	Pin Capacity	Adjustment Heights
<b>30047</b>	16,000 lbs.	4,000 lbs.	14-1/2" to 18"
<b>30051</b>	16,000 lbs	4,000 lbs.	15" to 18" with square tube slider
<b>30075</b>	16,000 lbs.	4,000 lbs.	15" to 18" with round tube slider

*Rails and installation kit must be ordered separately (#30035).*

*Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder™. Will not fit trucks with flareside/stepside.*



30727

### REPLACEMENT PARTS

Part No.	Description
<b>30047A</b>	Head with Head Support & hardware
<b>58146</b>	Fifth Wheel Head only (service kit)
<b>58147</b>	Cross Member – head support only
<b>30727</b>	Fifth Wheel Legs only (set of two)



6021



Includes 90° Wire Harness 50-97-410

**22K SELECT SERIES FIFTH WHEEL**

Features side-to-side pivot to better accommodate hook-ups on uneven ground. Quick installation, strong, reliable performance and easy removal to allow full truck bed access.

- Two-jaw locking system
- Fore-and-aft and side-to-side pivot
- Locking jaw handle
- Vertically adjusts from 14-1/4" to 18-1/4"
- 22,000 lbs. towing capacity
- 5,000 lbs. pin weight capacity
- Solid base assembly for superior stability
- Requires rails & installation kit (sold separately)
- 10 year limited warranty

Part No.	Capacity	Pin Capacity	Adjustment Heights
<b>6021</b>	22,000 lbs.	5,000 lbs.	14-1/4" to 18-1/4"

*Rails and installation kit must be ordered separately (#30035, 10-bolt).*

*Rails and installation kit must be ordered separately (#30095, 4-bolt).*

*Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder™. Will not fit trucks with flareside/stepsides.*

**REPLACEMENT PARTS**

Part No.	Description
<b>6026</b>	22K Head Assembly
<b>58187</b>	22K Pivot Beam only
<b>58385</b>	22K Adjustment bracket



6032

**16K SELECT SERIES FIFTH WHEEL**

Featuring side-to-side pivot action to better accommodate hook-ups on uneven ground. Quick, easy installation, strong performance and easy removal in just seconds to allow full access to the truck bed.

- Two-jaw locking system
- Fore-and-aft and side-to-side 4°-5° pivot
- Locking jaw handle
- Vertically adjusts from 14-1/2" to 18"
- 16,000 lbs. towing capacity
- 4,000 lbs. pin weight capacity
- Wide stance one-piece legs for improved stability
- Requires rails & installation kit (sold separately)
- 10 year limited warranty

Part No.	Capacity	Pin Capacity	Adjustment Heights
<b>6032</b>	16,000 lbs.	4,000 lbs.	14-1/2" to 18"
<b>6033</b>	16,000 lbs.	4,000 lbs.	15" to 18" with square tube slider
<b>40119</b>	16,000 lbs.	4,000 lbs.	15" to 18" with round tube slider

*Rails and installation kit must be ordered separately (#30035, 10-bolt).*

*Rails and installation kit must be ordered separately (#30095, 4-bolt).*

*Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder™. Will not fit trucks with flareside/stepsides.*

**REPLACEMENT PARTS**

Part No.	Description
<b>6042</b>	16K Fifth Wheel Head only (service kit)
<b>6044</b>	Fifth Wheel Leg




**PRO SERIES™ 20,000 LBS. FIFTH WHEEL HITCHES**



30118



30119



30120

- Covers all 20K user requirements, including light commercial
- Full floating head for improved hooking and unhooking, as well as ride
- Double jaw system completely surrounds the king pin for significantly reduced wear
- Lubricated and clamped side joints for tight and efficient operation
- Lightweight, easy to install and remove
- Adjustable height, from 13" to 17"
- Sturdy, robust and reliable
- One-piece formed legs, provides a wider footprint for superior stability
- Sidewinder compatible, preferred for short bed pickups
- Fits universal 4-bolt rail kit (P/N 30095) Must utilize center attachment points for 20K capacities included with 20K Fifth Wheel Hitches) or 10-bolt rail kit (P/N 30035)
- Compatible slider system available
- Best value in marketplace, more combination options
- Available with your choice of either #30035 or #30095 base rail kits
- 10 year limited warranty

Part No.	Description
<b>30118</b>	Pro Series™ 20,000 lbs. Fifth Wheel Hitch Head and Support <i>Legs, Rails, and Installation Kit sold separately</i>
<b>30119*</b>	Pro Series™ 20,000 lbs. Fifth Wheel Hitch Head, Support, and Legs <i>Rails and Installation Kit sold separately</i>
<b>30120*</b>	Pro Series™ 20,000 lbs. Fifth Wheel Head, Support, Legs, and Rails (4 bolt)
<b>30132*</b>	Pro Series™ 20,000 lbs. Fifth Wheel Head, Support, Legs, and Rails (10 bolt)

\* Available in skid quantities of 16 (Example: 30120-016)

Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder™. Will not fit trucks with flareside/stepsides.

**PRO SERIES™ 20,000 LBS. FIFTH WHEEL HITCHES WITH SQUARE TUBE SLIDER**

Designed for shortbed trucks to provide clearance and prevent damage to truck and trailer in tight spaces at slow speeds



30121



30122

- 10" travel front to back
- Adjustable with trailer attached
- Can be used with full size or mini trucks
- Double jaw system completely surrounds the king pin for significantly reduced wear
- Full floating head for improved hooking and unhooking, as well as ride
- Jaw handle with tab for optional padlock security (padlock not included)
- Vertically adjusts from 13" to 17" to best match-up with different trailers
- 20,000 lbs. towing capacity
- 5,000 lbs. pin weight capacity
- Wide stance one-piece legs for improved stability
- Available with your choice of either #30035 or #30095 base rail kits
- 10 year limited warranty

Part No.	Description
<b>30121*</b>	Pro Series™ 20,000 lbs. Fifth Wheel Hitch Head, Support, and Pro Series™ Slider <i>Rails and Installation Kit sold separately</i>
<b>30122*</b>	Pro Series™ 20,000 lbs. Fifth Wheel Hitch Head, Support, Pro Series™ Slider, and Rails (4 bolt)
<b>30133*</b>	Pro Series™ 20,000 lbs. Fifth Wheel Hitch Head, Support, Pro Series™ Slider, and Rails (10 bolt)

\* Available in skid quantities of 16 (Example: 30121-016)

Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder™. Will not fit trucks with flareside/stepsides.



30854



30855



30856

**PRO SERIES™ 16,000 LBS. FIFTH WHEEL HITCHES**

- Covers all 16K user requirements
- Full floating head for improved hooking and unhooking, as well as ride
- Has a proven enhanced slide bar system for worry free towing
- Lightweight, easy to install and remove
- Adjustable height, from 13" to 17"
- One-piece formed legs, provides a wider footprint for superior stability
- Sidewinder compatible, preferred for short bed pickups
- Fits universal 4-bolt rail kit (P/N 30095) or 10-bolt rail kit (P/N 30035)
- Compatible slider system available
- Sturdy, robust and reliable
- Best value in marketplace, more combination options
- Available with your choice of either #30035 or #30095 base rail kits
- 10 year limited warranty

Part No.	Description
30854	Pro Series™ 16,000 lbs. Fifth Wheel Hitch Head and Support <i>Legs, Rails and Installation Kit sold separately</i>
30855*	Pro Series™ 16,000 lbs. Fifth Wheel Hitch Head and Support and Legs <i>Rails, and Installation Kit sold separately</i>
30856*	Pro Series™ 16,000 lbs. Fifth Wheel Hitch Head, Support, Legs, and Rails (4 bolt)
31859*	Pro Series™ 16,000 lbs. Fifth Wheel Hitch Head, Support, Legs, and Rails (10 bolt)

\* Available in skid quantities of 16 (Example: 30856-016)  
 Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder™. Will not fit trucks with flareside/stepsides.


**PRO SERIES™ 16,000 LBS. FIFTH WHEEL HITCHES WITH SQUARE TUBE SLIDER**

Designed for shortbed trucks to provide clearance and prevent damage to truck and trailer in tight spaces at slow speeds

- 10" travel front to back
- Adjustable with trailer attached
- Can be used with full size or mini trucks
- Has a proven enhanced slide bar system for worry free towing
- Full floating head for improved hooking and unhooking, as well as ride
- Jaw handle with tab for optional padlock security (padlock not included)
- Vertically adjusts from 13" to 17" to best match-up with different trailers
- 16,000 lbs. towing capacity
- 4,000 lbs. pin weight capacity
- Wide stance one-piece legs for improved stability
- Available with your choice of either #30035 or #30095 base rail kits
- 10 year limited warranty



30857



30858

Part No.	Description
30857*	Pro Series™ 16,000 lbs. Fifth Wheel Hitch Head, Support, and Pro Series™ Slider <i>Rails and Installation Kit sold separately</i>
30858*	Pro Series™ 16,000 lbs. Fifth Wheel Hitch Head, Support, Pro Series™ Slider, and Rails (4 bolt)
31860*	Pro Series™ 16,000 lbs. Fifth Wheel Hitch Head, Support, Pro Series™ Slider, and Rails (10 bolt)

\* Available in skid quantities of 16 (Example: 31860-016)  
 Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder™. Will not fit trucks with flareside/stepsides.



**PRO SERIES™ 15,000 LBS FIFTH WHEEL HITCHES**

An economy fifth wheel hitch that doesn't act like one. The Pro Series™ offers features only found in larger units. Installs and removes easily for full bed access.


- Rounded slide bar mechanism designed for automatic latching with cushion grip handle
- 4-way pivoting head for easier hookup on uneven ground
- Jaw handle with tab for padlock security (padlock not included)
- Vertically adjusts from 13" to 17" to best match-up with different trailers
- 15,000 lbs. towing capacity
- 3,750 lbs. pin weight capacity
- Wide stance one-piece legs for improved stability
- Available with your choice of either #30035 or #30095 base rail kits
- 10 year limited warranty




30099




30093



30056



30094



30076

Part No.	Description
30099	Pro Series™ 15,000 lbs. Fifth Wheel Hitch Head, Support, Legs, Rails and Installation Kit sold separately
30093*	Pro Series™ 15,000 lbs. Fifth Wheel Hitch Head and Support and Legs, Rails, and Installation Kit sold separately
30056*	Pro Series™ 15,000 lbs. Fifth Wheel Hitch Head, Support, Legs, and Rails (4 bolt)
30128*	Pro Series™ 15,000 lbs. Fifth Wheel Hitch Head, Support, Legs, and Rails (10 bolt)

\* Available in skid quantities of 16 (Example: 30056-016)

Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder™. Will not fit trucks with flareside/stepside.

**PRO SERIES™ 15,000 LBS. FIFTH WHEEL HITCHES WITH SQUARE TUBE SLIDER**

Designed for shortbed trucks to provide clearance and prevent damage to truck and trailer in tight spaces at slow speeds


- 10" travel front to back
- Adjustable with trailer attached
- Can be used with full size or mini trucks
- Rounded slide bar mechanism designed for automatic latching with cushion grip handle
- 4-way pivoting head for easier hookup on uneven ground and smoother towing
- Jaw handle with tab for optional padlock security (padlock not included)
- Vertically adjusts from 13" to 17" to best match-up with different trailers
- 15,000 lbs. towing capacity
- 3,750 lbs. pin weight capacity
- Wide stance one-piece legs for improved stability
- Available with your choice of either #30035 or #30095 base rail kits
- 10 year limited warranty

Part No.	Description
30094*	Pro Series™ 15,000 lbs. Fifth Wheel Hitch Head, Support, and Pro Series™ Slider Rails and Installation Kit sold separately
30076*	Pro Series™ 15,000 lbs. Fifth Wheel Hitch Head, Support, Pro Series™ Slider, and Rails. (4 bolt)
30129*	Pro Series™ 15,000 lbs. Fifth Wheel Hitch Head, Support, Pro Series™ Slider, and Rails. (10 bolt)

\* Available in skid quantities of 16 (Example: 30076-016)

Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder™. Will not fit trucks with flareside/stepside.

Designed for short bed trucks and extended cab short bed pickups to provide additional turning clearance and to prevent damage to truck when spotting trailer. Fits Pro Series™ and 16K Select Series Fifth Wheel Hitches.



30048

Requires #30035 or #30095 universal base rail kit (sold separately)




**SQUARE TUBE SLIDER (KWIK-SLIDE™)**


- 6 roller design
- 10" travel fore-and-aft
- Works with full size and compact trucks
- Fully adjustable with trailer attached
- Minimum 13" extended trailer pin box recommended
- Requires #30035 or #30095 Universal Base Rail Kit (sold separately)

Part No.	Description
30048	Kwik-Slide™ Slider for 16K Select Series fifth wheel hitches

Rails and installation kit must be ordered separately (#30035, 10-bolt).  
 Rails and installation kit must be ordered separately (#30095, 4-bolt).  
 Note: Check clearance between king pin bed and tailgate before moving to maneuvering position.




Without a slider, a standard hookup interferes with corner of trailer at 45° and may cause damage



With a slider, and a minimum 13" pin box extension, an extra 10" of clearance eliminates interference with corner of trailer up to 80°

**PRO SERIES™ FIFTH WHEEL SLIDER UNIT W/ROLLERS**



30092

Requires #30035 or #30095 universal base rail kit (sold separately)

- 4 roller design
- 10" travel fore-and-aft
- Works with full size and compact trucks
- Fully adjustable with trailer attached
- Minimum 13" extended trailer pin box recommended
- Requires #30035 or #30095 Universal Base Rail Kit (sold separately)
- 10 year limited warranty

Part No.	Description
30092	Pro Series™ Fifth Wheel Slider Unit w/Rollers for 15K, 16K and 20K Head Assemblies (requires head assembly)

Rails and installation kit must be ordered separately (#30035, 10-bolt).  
 Rails and installation kit must be ordered separately (#30095, 4-bolt).  
 Note: Check clearance between king pin bed and tailgate before moving to maneuvering position.



83001  
83002

### ELITE™ & REESE® FIFTH WHEEL LUBE PLATES



Nylon lube plate protects fifth wheel plate from the wear of normal towing

- Eliminates the need for messy grease

Part No.	Description
83001	12" Lube Plate for use with Elite™ & Reese® 20K fifth wheel hitches only
83002	Fifth Wheel 10" Lube Plate for Reese® 16K & 22K fifth wheels



6011

### FIFTH WHEEL LUBE PLATE



- Large surface for extra protection

Part No.	Description
6011	Fifth Wheel 10" Lube Plate for 16K and 22K Select Series™ & Pro Series™ Fifth Wheels



30053

### FIFTH WHEEL ACCESSORY KIT



- Everything a new fifth wheel buyer needs to get started
- Lube, plate, cover, king pin lock, lock links

Part No.	Description
30053*	Fifth Wheel Starter Kit (for Reese® only)
30055*	Cover only

*\*Note: Does not fit Elite™ or 20K Reese®.*


50223



### CHAIN BRACKET KIT

Fits Reese® fifth wheel rails and most popular brands. Provides secure attachment for trailer safety chains.

Part No.	Description
50223	Chain Bracket Kit, 18,000 lbs. each



lock not included



58093

### PULL PIN LOCK PLATES

- Prevents theft of fifth wheel and unwanted removal of pull pins
- Add a standard padlock to make the locking plate a security device

Part No.	Description
58093	Pin Lock Plates for 1/2" pull pins for fifth wheels (4 pack)



50222

**New**



**New**

63251



63254

### FIFTH WHEEL LOCKS

Part No.	Description
<b>KING PIN LOCKS</b>	
50222	Fifth Wheel King Pin Lock
63251	Fifth Wheel King Pin Lock, Extruded T6 Tempered Aluminum Body
<b>RAIL LOCK</b>	
63254	Fifth Wheel Rail Lock, Push Button, Replaces One Locking Pin



Rail and installation kits must be ordered separately. Does not work with Elite™ fifth wheel hitches.

**FIFTH WHEEL RAILS & INSTALLATION KIT**

Rails and installation kits for full-size trucks. Quick and easy installation with full truck bed access. For use on all fifth wheel hitches except Elite™ (formerly Signature Series.)

Part No.	Description
<b>30035</b>	Rails and Mounting Bracket Kit for full size trucks (10 bolt design)
<b>58058</b>	Rails (only) for full size trucks (10 bolt design)
<b>30439</b>	Mounting Brackets and Hardware (only) for full size trucks (10 bolt design)
<b>58314</b>	Mounting Brackets (only) for full size trucks (10 bolt design)
<b>30153</b>	Reese® Outboard Fifth Wheel Mounting Rails Only (10 bolt design) <b>New</b>
<b>30095</b>	Rails and Mounting Bracket Kit for full size trucks (4 bolt design)
<b>30124</b>	Rails (only) for full size trucks (4 bolt design)
<b>30125</b>	Mounting Brackets & Hardware (only) for full size trucks (4 bolt design)



**FIFTH WHEEL ADAPTER BRACKETS AND HARDWARE**

Part No.	Description
<b>30080</b>	Fifth Wheel Rails and Installation Kit for (2004-2011 Ford F-150 New Body Style) Includes Brackets and Hardware (10 - Bolt Design)
<b>58023*</b>	Fifth Wheel Bracket Kit (2002-2008 Dodge RAM 1500 Pickup, 2003-2010 Dodge RAM 2500/3500 HD Pickup w/o Overload Springs) (10 - Bolt Design)
<b>58166</b>	Fifth Wheel Tube Spacer Kit (2002-2008 Dodge RAM 1500 Pickup, 03-10 Dodge RAM 2500/3500 HD Pickup) (10 - Bolt Design)
<b>58186</b>	Fifth Wheel Bracket Kit (2003-2011 Dodge RAM 2500/3500 HD Pickup w/Overload Springs) (10 - Bolt Design)
<b>58197</b>	Fifth Wheel Spacer Kit (00-06 Toyota Tundra, Includes Qty. 8 Additional 3/16" Spacers) (10 - Bolt Design)
<b>58208</b>	Chevrolet Composite Bed Kit for Above the Bed Rail Kit #30035 (10 - Bolt Design) used w/Select Series Fifth Wheels & 25K Above-Bed Gooseneck
<b>58309</b>	Fifth Wheel Spacer Kit (2007-2012 Toyota Tundra, Includes (2) 1/2" x 1-1/4" Spacer, (3) 1/2"-13 x 1-3/4" Carriage Bolt, (3) 1/2"-13 x 3" Carriage Bolt, (2) Bevel Washer) (10 - Bolt Design)
<b>58386</b>	Fifth Wheel Bracket Kit (2009-2012 Dodge RAM 1500 Pickup, Except Models w/Dual Exhaust) (10 - Bolt Design)
<b>58405</b>	Fifth Wheel Bracket Kit (2004-2011 Nissan Titan) (10 - Bolt Design)
<b>58425</b>	Fifth Wheel Bracket Kit (2005-2012 Ford F-250/F-350 Super Duty & 2008-2011 Ford F-450 Super Duty, Except Cab & Chassis) (4 - Bolt Design)
<b>58426</b>	Fifth Wheel Bracket Kit (2004-2011 Ford F-150 New Body Style) (4 & 10 - Bolt Design)
<b>58432</b>	Fifth Wheel Bracket Kit (2002-2008 Dodge RAM 1500 Pickup, Except Mega Cab) (4 - Bolt Design)
<b>58433</b>	Fifth Wheel Bracket Kit (2009-2012 Dodge RAM 1500 Pickup, Except Models w/Dual Exhaust & Crew Cab) (4 - Bolt Design)

Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder™. Will not fit trucks with flareside/stepside.  
 \*Bracket kit (#58023) recommended when installing on 02-08 Dodge Ram 1500 pickups.



# REESE® ELITE FIFTH WHEEL RAIL KITS

MAKE/MODEL		YEAR	FN	RAIL KIT RS#	
<b>Chevrolet</b>					
Pickup, C/K Series	6 ft. Bed (Old Body Style)	88-00		30063	
	8 ft. Bed (Old Body Style)	88-00		30063	
Pickup, Silverado	1500 HD 6.6 ft. Bed, 2 & 4 WD	01-02	Ø	30061	
	1500 HD 6.6 ft. Bed, 2 & 4 WD	03-06	Ø	30061	
	1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	2007	Ø	30061	
	1500 LD 5.8 ft. Bed, 2 & 4 WD	04-06	Ø,SW	30061	
	1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)	2007	Ø,SW	30061	
	1500 LD 6.6 ft. Bed, 2 & 4 WD	99-02	Ø	30061	
	1500 LD 6.6 ft. Bed, 2 & 4 WD	03-06	Ø	30061	
	1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)	2007	Ø	30061	
	1500 LD 8 ft. Bed, 2 & 4 WD	99-02		30060	
	1500 LD 8 ft. Bed, 2 & 4 WD	03-06		30060	
	1500 LD 8 ft. Bed, 2 & 4 WD (Classic)	2007		30060	
	2500 HD 6.6 ft. Bed, 2 & 4 WD	01-02	Ø	30061	
	2500 HD 6.6 ft. Bed, 2 & 4 WD	03-06	Ø	30061	
	2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	07-10		30061	
	2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	11-12	Ø	30868	
	2500 HD 8 ft. Bed, 2 & 4 WD	01-02		30060	
				Ø	30082
	2500 HD 8 ft. Bed, 2 & 4 WD	03-06		30060	
				Ø	30082
	2500 HD 8 ft. Bed, 2 & 4 WD (Classic)	2007		30060	
				Ø	30082
	2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	07-10		30082	
	2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	11-12	Ø	30868	
	2500 LD 6.6 ft. Bed, 2 & 4 WD	99-02	Ø	30061	
2500 LD 6.6 ft. Bed, 2 & 4 WD	03-04	Ø	30061		
2500 LD 8 ft. Bed, 2 & 4 WD	99-02		30060		
2500 LD 8 ft. Bed, 2 & 4 WD	03-04		30060		
3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	07-10		30061		
3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	11-12	Ø	30868		
3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	07-10		30082		
3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	11-12	Ø	30868		
3500 Series 8 ft. Bed, 2 & 4 WD	01-02		30062		
			Ø	30082	
3500 Series 8 ft. Bed, 2 & 4 WD	03-06		30062		
			Ø	30082	
3500 Series 8 ft. Bed, 2 & 4 WD (Classic)	2007		30062		
			Ø	30082	
<b>Dodge</b>					
Pickup, Ram, Full Size		94-01		30069	
	1500 Only, Except Mega Cab	02-08		30067	
	1500, Inc. Mega Cab	02-08	Ø	30074	
	2500 HD, Except Mega Cab	03-09		30067	
	2500 HD, Except Mega Cab	2010		30067	
	2500 HD, Inc. Mega Cab, 2 & 4 WD	03-09	Ø	30074	

# REESE® ELITE FIFTH WHEEL RAIL KITS

MAKE/MODEL		YEAR	FN	RAIL KIT RS#
<b>Dodge (Continued)</b>				
Pickup, Ram, Full Size (Continued)	2500 HD, Inc. Mega Cab, 2 & 4 WD	10-11	Ø	30074
			Ø	30852
	2500 Only, All Models	2002		30069
	3500 HD, Except Mega Cab	03-09		30067
	3500 HD, Except Mega Cab	2010		30067
	3500 HD, Inc. Mega Cab & Dually, 2 & 4 WD	03-09	Ø	30074
	3500 HD, Inc. Mega Cab & Dually, 2 & 4 WD	10-11	Ø	30074
			Ø	30852
	3500 Only, All Models	2002		30069
<b>Ford</b>				
F-150	New Body Style, Regular Cab w/6.5 & 8 ft. Beds	04-08		30064
	New Body Style, Regular Cab w/6.5 & 8 ft. Beds	09-11		30064
	New Body Style, SuperCab w/5.5, 6.5 & 8 ft. Beds	04-08	SW	30064
	New Body Style, SuperCab w/5.5, 6.5 & 8 ft. Beds	09-11	SW	30064
F-150 SuperCrew	New Body Style, w/5.5 & 6.5 ft. Beds	04-08	SW	30064
	New Body Style, w/5.5 & 6.5 ft. Beds	09-11	SW	30064
F-250 Super Duty	Pickups Only - Will Not Fit Cab & Chassis	99-01		30073
	Pickups Only - Will Not Fit Cab & Chassis	02-04		30073
	Pickups Only - Will Not Fit Cab & Chassis	05-07		30073
	Pickups Only - Will Not Fit Cab & Chassis	08-10		30073
	Pickups Only - Will Not Fit Cab & Chassis	11-12	Ø	30126
F-350 Super Duty	Pickups Only - Will Not Fit Cab & Chassis	99-01		30073
	Pickups Only - Will Not Fit Cab & Chassis	02-04		30073
	Pickups Only - Will Not Fit Cab & Chassis	05-07		30073
	Pickups Only - Will Not Fit Cab & Chassis	08-10		30073
	Pickups Only - Will Not Fit Cab & Chassis	11-12	Ø	30126
F-450 Super Duty	Pickups Only - Will Not Fit Cab & Chassis	08-10		30073
	Pickups Only - Will Not Fit Cab & Chassis	11-12	Ø	30126
<b>GMC</b>				
Pickup, C/K Series	6 ft. Bed (Old Body Style)	88-00		30063
	8 ft. Bed (Old Body Style)	88-00		30063
Pickup, Sierra	1500 HD 6.6 ft. Bed, 2 & 4 WD	01-02	Ø	30061
	1500 HD 6.6 ft. Bed, 2 & 4 WD	03-06	Ø	30061
	1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	2007	Ø	30061
	1500 LD 5.8 ft. Bed, 2 & 4 WD	04-06	Ø,SW	30061
	1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)	2007	Ø,SW	30061
	1500 LD 6.6 ft. Bed, 2 & 4 WD	99-02	Ø	30061
	1500 LD 6.6 ft. Bed, 2 & 4 WD	03-06	Ø	30061
	1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)	2007	Ø	30061
	1500 LD 8 ft. Bed, 2 & 4 WD	99-02		30060
	1500 LD 8 ft. Bed, 2 & 4 WD	03-06		30060
	1500 LD 8 ft. Bed, 2 & 4 WD (Classic)	2007		30060
	2500 HD 6.6 ft. Bed, 2 & 4 WD	01-02	Ø	30061
	2500 HD 6.6 ft. Bed, 2 & 4 WD	03-06	Ø	30061
	2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	07-10		30061
2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	11-12	Ø	30868	

# REESE ELITE FIFTH WHEEL RAIL KITS

MAKE/MODEL		YEAR	FN	RAIL KIT RS #
<b>GMC (Continued)</b>				
Pickup, Sierra (Continued)	2500 HD 8 ft. Bed, 2 & 4 WD	01-02		30060
			Ø	30082
	2500 HD 8 ft. Bed, 2 & 4 WD	03-06		30060
			Ø	30082
	2500 HD 8 ft. Bed, 2 & 4 WD (Classic)	2007		30060
			Ø	30082
	2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	07-10		30082
	2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	11-12	Ø	30868
	2500 LD 6.6 ft. Bed, 2 & 4 WD	99-02	Ø	30061
	2500 LD 6.6 ft. Bed, 2 & 4 WD	03-04	Ø	30061
	2500 LD 8 ft. Bed, 2 & 4 WD	99-02		30060
	2500 LD 8 ft. Bed, 2 & 4 WD	03-04		30060
	3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	07-10		30061
	3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	11-12	Ø	30868
	3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	07-10		30082
	3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	11-12	Ø	30868
	3500 Series 8 ft. Bed, 2 & 4 WD	01-02		30062
			Ø	30082
	3500 Series 8 ft. Bed, 2 & 4 WD	03-06		30062
			Ø	30082
	3500 Series 8 ft. Bed, 2 & 4 WD (Classic)	2007		30062
			Ø	30082
	Denali HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	11-12	Ø	30868
<b>Toyota</b>				
Tundra	w/Regular Cab & Long Bed Only	00-02	Ø	30078
	w/Regular Cab & Long Bed Only	03-06	Ø	30078

SW = Do not install on a truck with less than a 6' long bed unless the trailer is equipped with a Sidewinder pinbox coupler #SW16K or #SW19K.  
Ø = No Drill

## ACCESSORY PARTS

Part No.	Description
<b>30149</b>	Elite™ Series Rail Kit Accessory, Plastic Bedliner Puck Adapter Kit (includes: (4) Pucks & (4) Spacers)
<b>58458</b>	Replacement part, trim rings (for GM and Dodge Elite™ Rail Kits)

# FIFTH WHEEL CUSTOM QUICK INSTALL BRACKET & COMPLETE KIT APPLICATION GUIDE

MAKE	MODEL	STYLE	YEAR	PART NO.	10-BOLT KIT	4-BOLT KIT	NO DRILL
<b>Chevrolet</b>							
Pickup, Silverado	1500 HD	6.6 ft. Bed, 2 & 4 WD	01-02	50064	50064-58	50064-24	X
Pickup, Silverado	1500 HD	6.6 ft. Bed, 2 & 4 WD	03-06	50064	50064-58	50064-24	X
Pickup, Silverado	1500 HD	6.6 ft. Bed, 2 & 4 WD (Classic)	2007	50064	50064-58	50064-24	X
Pickup, Silverado	1500 LD	5.8 ft. Bed, 2 & 4 WD	04-06	50064	50064-58	50064-24	X
Pickup, Silverado	1500 LD	5.8 ft. Bed, 2 & 4 WD (Classic)	2007	50064	50064-58	50064-24	X
Pickup, Silverado	1500 LD	5.8 ft. Bed, 2 & 4 WD (New Body Style)	07-12	50064	50064-58	50064-24	X
Pickup, Silverado	1500 LD	6.6 ft. Bed, 2 & 4 WD	99-02	50064	50064-58	50064-24	X
Pickup, Silverado	1500 LD	6.6 ft. Bed, 2 & 4 WD	03-06	50064	50064-58	50064-24	X
Pickup, Silverado	1500 LD	6.6 ft. Bed, 2 & 4 WD (Classic)	2007	50064	50064-58	50064-24	X
Pickup, Silverado	1500 LD	6.6 ft. Bed, 2 & 4 WD (New Body Style)	07-12	50064	50064-58	50064-24	X
Pickup, Silverado	1500 LD	8 ft. Bed, 2 & 4 WD	99-02	50064	50064-58	50064-24	X
Pickup, Silverado	1500 LD	8 ft. Bed, 2 & 4 WD	03-06	50064	50064-58	50064-24	X
Pickup, Silverado	1500 LD	8 ft. Bed, 2 & 4 WD (Classic)	2007	50064	50064-58	50064-24	X
Pickup, Silverado	1500 LD	8 ft. Bed, 2 & 4 WD (New Body Style)	07-12	50064	50064-58	50064-24	X
Pickup, Silverado	2500 HD	6.6 ft. Bed, 2 & 4 WD	01-02	50064	50064-58	50064-24	X
Pickup, Silverado	2500 HD	6.6 ft. Bed, 2 & 4 WD	03-06	50064	50064-58	50064-24	X
Pickup, Silverado	2500 HD	6.6 ft. Bed, 2 & 4 WD (Classic)	2007	50064	50064-58	50064-24	X
Pickup, Silverado	2500 HD	6.6 ft. Bed, 2 & 4 WD (New Body Style)	07-10	50064	50064-58	50064-24	X
Pickup, Silverado	2500 HD	6.6 ft. Bed, 2 & 4 WD (New Body Style)	11-12	50066	50066-58	50066-24	X
				56001	56001-53		X
Pickup, Silverado	2500 HD	8 ft. Bed, 2 & 4 WD	01-02	50064	50064-58	50064-24	X
Pickup, Silverado	2500 HD	8 ft. Bed, 2 & 4 WD	03-06	50064	50064-58	50064-24	X
Pickup, Silverado	2500 HD	8 ft. Bed, 2 & 4 WD (Classic)	2007	50064	50064-58	50064-24	X
Pickup, Silverado	2500 HD	8 ft. Bed, 2 & 4 WD (New Body Style)	07-10	50064	50064-58	50064-24	X
Pickup, Silverado	2500 HD	8 ft. Bed, 2 & 4 WD (New Body Style)	11-12	50066	50066-58	50066-24	X
				56001	56001-53		X
Pickup, Silverado	2500 LD	6.6 ft. Bed, 2 & 4 WD	99-02	50064	50064-58	50064-24	X
Pickup, Silverado	2500 LD	6.6 ft. Bed, 2 & 4 WD	03-04	50064	50064-58	50064-24	X
Pickup, Silverado	2500 LD	8 ft. Bed, 2 & 4 WD	99-02	50064	50064-58	50064-24	X
Pickup, Silverado	2500 LD	8 ft. Bed, 2 & 4 WD	03-04	50064	50064-58	50064-24	X
Pickup, Silverado	3500 HD	6.6 ft. Bed, 2 & 4 WD (New Body Style)	07-10	50064	50064-58	50064-24	X
Pickup, Silverado	3500 HD	6.6 ft. Bed, 2 & 4 WD (New Body Style)	11-12	50066	50066-58	50066-24	X
				56001	56001-53		X
Pickup, Silverado	3500 HD	8 ft. Bed, 2 & 4 WD (New Body Style)	07-10	50064	50064-58	50064-24	X
Pickup, Silverado	3500 HD	8 ft. Bed, 2 & 4 WD (New Body Style)	11-12	50066	50066-58	50066-24	X
				56001	56001-53		X
Pickup, Silverado	3500 Series	8 ft. Bed, 2 & 4 WD	01-02	50064	50064-58	50064-24	X
Pickup, Silverado	3500 Series	8 ft. Bed, 2 & 4 WD	03-06	50064	50064-58	50064-24	X
Pickup, Silverado	3500 Series	8 ft. Bed, 2 & 4 WD (Classic)	2007	50064	50064-58	50064-24	X

# FIFTH WHEEL CUSTOM QUICK INSTALL BRACKET & COMPLETE KIT APPLICATION GUIDE

MAKE	MODEL	STYLE	YEAR	PART NO.	10-BOLT KIT	4-BOLT KIT	NO DRILL
<b>Dodge</b>							
Pickup, Ram, Full Size 1500 Mega Cab w/6 ft. Bed, 2 & 4 WD			06-08	50140	50140-58	50140-24	X
Pickup, Ram, Full Size 1500 Only, 2 & 4 WD, Except Mega Cab			02-08	50040	50040-58		X
Pickup, Ram, Full Size 1500 Quad Cab w/6.4 ft. Bed, 2 & 4 WD			2009	50083	50083-58	50083-24	X
Pickup, Ram, Full Size 1500 Quad Cab w/6.4 ft. Bed, 2 & 4 WD			10-12	50083	50083-58	50083-24	X
Pickup, Ram, Full Size 1500 Regular Cab w/6.4 ft. Bed, 2 & 4 WD			2009	50083	50083-58	50083-24	X
Pickup, Ram, Full Size 1500 Regular Cab w/6.4 ft. Bed, 2 & 4 WD			10-12	50083	50083-58	50083-24	X
Pickup, Ram, Full Size 1500 Regular Cab w/8 ft. Bed, 2 & 4 WD			2009	50083	50083-58	50083-24	X
Pickup, Ram, Full Size 1500 Regular Cab w/8 ft. Bed, 2 & 4 WD			10-12	50083	50083-58	50083-24	X
Pickup, Ram, Full Size 2500 HD, 2 & 4 WD, Except Mega Cab & Models w/Overload Springs			03-09	50040	50040-58		X
Pickup, Ram, Full Size 2500 HD, 2 & 4 WD, Except Mega Cab & Models w/Overload Springs			10-11	50040	50040-58		X
Pickup, Ram, Full Size 2500 HD, Inc. Mega Cab, 2 & 4 WD			03-09	50140	50140-58	50140-24	X
Pickup, Ram, Full Size 2500 HD, Inc. Mega Cab, 2 & 4 WD, Except Models w/Gas Engines w/Overload Springs			10-11	50140	50140-58	50140-24	X
Pickup, Ram, Full Size 3500 HD, 2 & 4 WD, Except Mega Cab & Models w/Overload Springs			03-09	50040	50040-58		X
Pickup, Ram, Full Size 3500 HD, 2 & 4 WD, Except Mega Cab & Models w/Overload Springs			10-11	50040	50040-58		X
Pickup, Ram, Full Size 3500 HD, Inc. Mega Cab & Dually, 2 & 4 WD			03-09	50140	50140-58	50140-24	X
Pickup, Ram, Full Size 3500 HD, Inc. Mega Cab & Dually, 2 & 4 WD, Except Models w/Gas Engines w/Overload Springs			10-11	50140	50140-58	50140-24	X
<b>Ford</b>							
F-150 New Body Style, Regular Cab w/6.5 & 8 ft. Beds			04-08	50081	50081-58	50081-24	X
F-150 New Body Style, Regular Cab w/6.5 & 8 ft. Beds			09-11	50081	50081-58	50081-24	X
F-150 New Body Style, SuperCab w/5.5, 6.5 & 8 ft. Beds			04-08	50081	50081-58	50081-24	X
F-150 New Body Style, SuperCab w/5.5, 6.5 & 8 ft. Beds			09-11	50081	50081-58	50081-24	X
F-150 Light Duty Styleside			97-03	50042	50042-58		X
F-150 Light Duty Heritage Styleside (Old Body Style)			2004	50042	50042-58		X
F-150 SuperCrew New Body Style, w/5.5 & 6.5 ft. Beds			04-08	50081	50081-58	50081-24	X
F-150 SuperCrew New Body Style, w/5.5 & 6.5 ft. Beds			09-11	50081	50081-58	50081-24	X
F-250 Light Duty Styleside			97-99	50042	50042-58		X
F-250 Super Duty Pickups Only - Will Not Fit Cab & Chassis			99-01	50043	50043-58		
				50082	50082-58	50082-24	X
F-250 Super Duty Pickups Only - Will Not Fit Cab & Chassis			02-04	50043	50043-58		
				50082	50082-58	50082-24	X
F-250 Super Duty Pickups Only - Will Not Fit Cab & Chassis			05-07	50082	50082-58	50082-24	X
F-250 Super Duty Pickups Only - Will Not Fit Cab & Chassis			08-10	50082	50082-58	50082-24	X
F-250 Super Duty Pickups Only - Will Not Fit Cab & Chassis			11-12	50073	50073-58	50073-24	X
				56002	56002-53		X
F-350 Super Duty Pickups Only - Will Not Fit Cab & Chassis			99-01	50043	50043-58		
				50082	50082-58	50082-24	X
F-350 Super Duty Pickups Only - Will Not Fit Cab & Chassis			02-04	50043	50043-58		
				50082	50082-58	50082-24	X

# FIFTH WHEEL CUSTOM QUICK INSTALL BRACKET & COMPLETE KIT APPLICATION GUIDE

MAKE	MODEL	STYLE	YEAR	PART NO.	10-BOLT KIT	4-BOLT KIT	NO DRILL
<b>Ford (Continued)</b>							
F-350 Super Duty Pickups Only - Will Not Fit Cab & Chassis			05-07	50082	50082-58	50082-24	X
F-350 Super Duty Pickups Only - Will Not Fit Cab & Chassis			08-10	50082	50082-58	50082-24	X
F-350 Super Duty Pickups Only - Will Not Fit Cab & Chassis			11-12	50073	50073-58	50073-24	X
				56002	56002-53		X
F-450 Super Duty Pickups Only - Will Not Fit Cab & Chassis			08-10	50082	50082-58	50082-24	X
F-450 Super Duty Pickups Only - Will Not Fit Cab & Chassis			11-12	50073	50073-58	50073-24	X
				56002	56002-53		X
<b>GMC</b>							
Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD			01-02	50064	50064-58	50064-24	X
Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD			03-06	50064	50064-58	50064-24	X
Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)			2007	50064	50064-58	50064-24	X
Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD			04-06	50064	50064-58	50064-24	X
Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)			2007	50064	50064-58	50064-24	X
Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD (New Body Style)			07-12	50064	50064-58	50064-24	X
Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD			99-02	50064	50064-58	50064-24	X
Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD			03-06	50064	50064-58	50064-24	X
Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)			2007	50064	50064-58	50064-24	X
Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD (New Body Style)			07-12	50064	50064-58	50064-24	X
Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD			99-02	50064	50064-58	50064-24	X
Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD			03-06	50064	50064-58	50064-24	X
Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD (Classic)			2007	50064	50064-58	50064-24	X
Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD (New Body Style)			07-12	50064	50064-58	50064-24	X
Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD			01-02	50064	50064-58	50064-24	X
Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD			03-06	50064	50064-58	50064-24	X
Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)			2007	50064	50064-58	50064-24	X
Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)			07-10	50064	50064-58	50064-24	X
Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)			11-12	50066	50066-58	50066-24	X
				56001	56001-53		X
Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD			01-02	50064	50064-58	50064-24	X
Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD			03-06	50064	50064-58	50064-24	X
Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD (Classic)			2007	50064	50064-58	50064-24	X
Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)			07-10	50064	50064-58	50064-24	X
Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)			11-12	50066	50066-58	50066-24	X
				56001	56001-53		X
Pickup, Sierra 2500 LD 6.6 ft. Bed, 2 & 4 WD			99-02	50064	50064-58	50064-24	X
Pickup, Sierra 2500 LD 6.6 ft. Bed, 2 & 4 WD			03-04	50064	50064-58	50064-24	X
Pickup, Sierra 2500 LD 8 ft. Bed, 2 & 4 WD			99-02	50064	50064-58	50064-24	X
Pickup, Sierra 2500 LD 8 ft. Bed, 2 & 4 WD			03-04	50064	50064-58	50064-24	X
Pickup, Sierra 3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)			07-10	50064	50064-58	50064-24	X
Pickup, Sierra 3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)			11-12	50066	50066-58	50066-24	X
				56001	56001-53		X

MAKE	MODEL	STYLE	YEAR	PART NO.	10-BOLT KIT	4-BOLT KIT	NO DRILL
<b>GMC (New Body)</b>							
Pickup, Sierra 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)			07-10	50064	50064-58	50064-24	X
Pickup, Sierra 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)			11-12	50066	50066-58	50066-24	X
				56001	56001-53		X
Pickup, Sierra 3500 Series 8 ft. Bed, 2 & 4 WD			01-02	50064	50064-58	50064-24	X
Pickup, Sierra 3500 Series 8 ft. Bed, 2 & 4 WD			03-06	50064	50064-58	50064-24	X
Pickup, Sierra 3500 Series 8 ft. Bed, 2 & 4 WD (Classic)			2007	50064	50064-58	50064-24	X
Pickup, Sierra Denali HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)			11-12	50066	50066-58	50066-24	X
				56001	56001-53		X
<b>Toyota</b>							
Tundra w/Regular Cab & Long Bed Only			00-02	50059	50059-58		X
Tundra w/Regular Cab & Long Bed Only			03-06	50059	50059-58		X

Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder. Will not fit trucks with flareside/stepsides.

# UNIVERSAL FIFTH WHEEL RAIL KIT & ADAPTER BRACKET APPLICATION GUIDE

MAKE/MODEL	YEAR	(10 BOLT) RAIL KIT	REQUIRED UPGRADE KIT	(4 BOLT) RAIL KIT	REQUIRED UPGRADE KIT
<b>CHEVROLET</b>					
Pickup, C/K Series 6.5 ft. Bed (Old Body Style)	73-87	30035		30095	
Pickup, C/K Series 6.5 ft. Bed (Old Body Style)	88-00	30035		30095	
Pickup, C/K Series 8 ft. Bed (Old Body Style)	73-87	30035		30095	
Pickup, C/K Series 8 ft. Bed (Old Body Style)	88-00	30035		30095	
Pickup, C/K Series Crew Cab (Old Body Style)	92-00	30035		30095	
Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD	01-06	30035		30095	
Pickup, Silverado 1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	2007	30035		30095	
Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD	04-06	30035		30095	
Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)	2007	30035		30095	
Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD (New Body Style)	07-12	30035		30095	
Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD	99-06	30035		30095	
Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)	2007	30035		30095	
Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	07-12	30035		30095	
Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD	99-06	30035		30095	
Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD (Classic)	2007	30035		30095	
Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD (New Body Style)	07-12	30035		30095	
Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD	01-06	30035		30095	
Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	2007	30035		30095	
Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	07-10	30035		30095	
Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	11-12	30035		30095	
Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD	01-06	30035		30095	
Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD (Classic)	2007	30035		30095	
Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	07-10	30035		30095	
Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	11-12	30035		30095	
Pickup, Silverado 2500 LD 6.6 ft. Bed, 2 & 4 WD	99-04	30035		30095	
Pickup, Silverado 2500 LD 8 ft. Bed, 2 & 4 WD	99-04	30035		30095	
Pickup, Silverado 3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	07-10	30035		30095	
Pickup, Silverado 3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	11-12	30035		30095	
Pickup, Silverado 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	07-10	30035		30095	
Pickup, Silverado 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	11-12	30035		30095	
Pickup, Silverado 3500 Series 8 ft. Bed, 2 & 4 WD	01-06	30035		30095	
Pickup, Silverado 3500 Series 8 ft. Bed, 2 & 4 WD (Classic)	2007	30035		30095	
<b>DODGE</b>					
Dakota Pickup	94-04	30035			
Pickup, D/W Series, Full Size 100	73-89	30035		30095	
Pickup, D/W Series, Full Size 150	77-93	30035		30095	
Pickup, D/W Series, Full Size 200	73-80	30035		30095	
Pickup, D/W Series, Full Size 250	81-93	30035		30095	
Pickup, D/W Series, Full Size 300	73-80	30035		30095	
Pickup, D/W Series, Full Size 350	81-93	30035		30095	
Pickup, Ram, Full Size 1500 Crew Cab w/5.7 ft. Bed	10-12	30035	58386		
Pickup, Ram, Full Size 1500 Crew Cab w/5.7 ft. Bed	2009	30035	58386		
Pickup, Ram, Full Size 1500 Only, All Models	00-01	30035		30095	
Pickup, Ram, Full Size 1500 Only, All Models	94-99	30035		30095	
Pickup, Ram, Full Size 1500 Quad Cab w/6.4 ft. Bed, 2 & 4 WD	10-12	30035	58386	30095	58433
Pickup, Ram, Full Size 1500 Quad Cab w/6.4 ft. Bed, 2 & 4 WD	2009	30035	58386	30095	58433
Pickup, Ram, Full Size 1500 Regular Cab w/6.4 ft. Bed, 2 & 4 WD	10-12	30035	58386	30095	58433
Pickup, Ram, Full Size 1500 Regular Cab w/6.4 ft. Bed, 2 & 4 WD	2009	30035	58386	30095	58433



# UNIVERSAL FIFTH WHEEL RAIL KIT & ADAPTER BRACKET APPLICATION GUIDE

MAKE/MODEL	YEAR	(10 BOLT) RAIL KIT	REQUIRED UPGRADE KIT	(4 BOLT) RAIL KIT	REQUIRED UPGRADE KIT
<b>DODGE (Continued)</b>					
Pickup, Ram, Full Size 1500 Regular Cab w/8 ft. Bed, 2 & 4 WD	10-12	30035	58386	30095	58433
Pickup, Ram, Full Size 1500 Regular Cab w/8 ft. Bed, 2 & 4 WD	2009	30035	58386	30095	58433
Pickup, Ram, Full Size 1500, Inc. Mega Cab	02-08	30035			
Pickup, Ram, Full Size 2500 HD with Overload Springs	03-09	30035	58186		
Pickup, Ram, Full Size 2500 HD with Overload Springs	10-11	30035	58186		
Pickup, Ram, Full Size 2500 HD without Overload Springs	03-09	30035		30095	
Pickup, Ram, Full Size 2500 HD without Overload Springs	10-11	30035		30095	
Pickup, Ram, Full Size 2500 Only, All Models	00-02	30035		30095	
Pickup, Ram, Full Size 2500 Only, All Models	94-99	30035		30095	
Pickup, Ram, Full Size 3500 HD with Overload Springs	03-09	30035	58186		
Pickup, Ram, Full Size 3500 HD with Overload Springs	10-11	30035	58186		
Pickup, Ram, Full Size 3500 HD without Overload Springs	03-09	30035		30095	
Pickup, Ram, Full Size 3500 HD without Overload Springs	10-11	30035		30095	
Pickup, Ram, Full Size 3500 Only, All Models	00-02	30035		30095	
Pickup, Ram, Full Size 3500 Only, All Models	94-99	30035		30095	
<b>FORD</b>					
F-100	73-79	30035		30095	
F-100	80-83	30035		30095	
F-150	75-79	30035		30095	
F-150	80-96	30035		30095	
F-150 New Body Style, Regular Cab w/6.5 & 8 ft. Beds	04-08	30035	58426	30095	58426
F-150 New Body Style, Regular Cab w/6.5 & 8 ft. Beds	09-11	30035	58426	30095	58426
F-150 New Body Style, SuperCab w/5.5, 6.5 & 8 ft. Beds	04-08	30035	58426	30095	58426
F-150 New Body Style, SuperCab w/5.5, 6.5 & 8 ft. Beds	09-11	30035	58426	30095	58426
F-150 Light Duty Styleside, Except SuperCrew	97-03	30035		30095	
F-150 Light Duty Heritage Styleside (Old Body Style)	2004	30035		30095	
F-150 SuperCrew New Body Style, w/5.5 & 6.5 ft. Beds	04-08	30035	58426	30095	58426
F-150 SuperCrew New Body Style, w/5.5 & 6.5 ft. Beds	09-11	30035	58426	30095	58426
F-250	73-79	30035		30095	
F-250	80-96	30035		30095	
F-250 Heavy Duty	1997	30035		30095	
F-250 Light Duty Styleside	97-99	30035		30095	
F-250 Super Duty Pickups Only - Will Not Fit Cab & Chassis	02-04	30035			
F-250 Super Duty Pickups Only - Will Not Fit Cab & Chassis	05-07	30035		30095	58425
F-250 Super Duty Pickups Only - Will Not Fit Cab & Chassis	08-10	30035		30095	58425
F-250 Super Duty Pickups Only - Will Not Fit Cab & Chassis	11-12	30035		30095	58425
F-250 Super Duty Pickups Only - Will Not Fit Cab & Chassis	99-01	30035			
F-350	73-79	30035		30095	
F-350	80-96	30035		30095	
F-350 Heavy Duty	1997	30035		30095	
F-350 Super Duty Pickups Only - Will Not Fit Cab & Chassis	02-04	30035			
F-350 Super Duty Pickups Only - Will Not Fit Cab & Chassis	05-07	30035		30095	58425
F-350 Super Duty Pickups Only - Will Not Fit Cab & Chassis	08-10	30035		30095	58425
F-350 Super Duty Pickups Only - Will Not Fit Cab & Chassis	11-12	30035		30095	58425
F-350 Super Duty Pickups Only - Will Not Fit Cab & Chassis	99-01	30035			
F-450 Super Duty Pickups Only - Will Not Fit Cab & Chassis	08-10	30035		30095	58425
F-450 Super Duty Pickups Only - Will Not Fit Cab & Chassis	11-12	30035		30095	58425

# UNIVERSAL FIFTH WHEEL RAIL KIT & ADAPTER BRACKET APPLICATION GUIDE

MAKE/MODEL	YEAR	(10 BOLT) RAIL KIT	REQUIRED UPGRADE KIT	(4 BOLT) RAIL KIT	REQUIRED UPGRADE KIT
<b>GMC</b>					
Pickup, C/K Series 6.5 ft. Bed (Old Body Style)	73-87	30035		30095	
Pickup, C/K Series 6.5 ft. Bed (Old Body Style)	88-00	30035		30095	
Pickup, C/K Series 8 ft. Bed (Old Body Style)	73-87	30035		30095	
Pickup, C/K Series 8 ft. Bed (Old Body Style)	88-00	30035		30095	
Pickup, C/K Series Crew Cab (Old Body Style)	92-00	30035		30095	
Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD	01-06	30035		30095	
Pickup, Sierra 1500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	2007	30035		30095	
Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD	04-06	30035		30095	
Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD (Classic)	2007	30035		30095	
Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD (New Body Style)	07-12	30035		30095	
Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD	99-06	30035		30095	
Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD (Classic)	2007	30035		30095	
Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	07-12	30035		30095	
Pickup, Sierra 1500 LD 8 ft. Bed (Classic)	2007	30035		30095	
Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD	99-06	30035		30095	
Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD (New Body Style)	07-12	30035		30095	
Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD	01-06	30035		30095	
Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD (Classic)	2007	30035		30095	
Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	07-10	30035		30095	
Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	11-12	30035		30095	
Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD	01-06	30035		30095	
Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD (Classic)	2007	30035		30095	
Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	07-10	30035		30095	
Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	11-12	30035		30095	
Pickup, Sierra 2500 LD 6.6 ft. Bed, 2 & 4 WD	99-04	30035		30095	
Pickup, Sierra 2500 LD 8 ft. Bed, 2 & 4 WD	99-04	30035		30095	
Pickup, Sierra 3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	07-10	30035		30095	
Pickup, Sierra 3500 HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	11-12	30035		30095	
Pickup, Sierra 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	07-10	30035		30095	
Pickup, Sierra 3500 HD 8 ft. Bed, 2 & 4 WD (New Body Style)	11-12	30035		30095	
Pickup, Sierra 3500 Series 8 ft. Bed, 2 & 4 WD	01-06	30035		30095	
Pickup, Sierra 3500 Series 8 ft. Bed, 2 & 4 WD (Classic)	2007	30035		30095	
Pickup, Sierra Denali HD 6.6 ft. Bed, 2 & 4 WD (New Body Style)	11-12	30035		30095	
<b>NISSAN</b>					
Titan Pickup Crew Cab 5.6 ft. Bed	04-11	30035	58405		
Titan Pickup Crew Cab 7.25 ft. Bed	04-11	30035	58405		
Titan Pickup King Cab 6.5 ft. Bed	04-11	30035	58405		
Titan Pickup King Cab 8 ft. Bed	04-11	30035	58405		
<b>TOYOTA</b>					
Tundra Crew Max 5.5 ft. Bed	07-09	30035	58309		
Tundra Crew Max 5.5 ft. Bed	10-12	30035	58309		
Tundra Double Cab 6.5 ft. Bed	07-09	30035	58309		
Tundra Double Cab 6.5 ft. Bed	10-12	30035	58309		
Tundra Double Cab 8 ft. Bed	07-09	30035	58309		
Tundra Double Cab 8 ft. Bed	10-12	30035	58309		
Tundra Regular Cab 6.5 ft. Bed	07-09	30035	58309		
Tundra Regular Cab 6.5 ft. Bed	10-12	30035	58309		
Tundra Regular Cab 8 ft. Bed	07-09	30035	58309		

MAKE/MODEL	YEAR	(10 BOLT) RAIL KIT	REQUIRED UPGRADE KIT	(4 BOLT) RAIL KIT	REQUIRED UPGRADE KIT
<b>TOYOTA (Continued)</b>					
Tundra Regular Cab 8 ft. Bed	10-12	30035	58309		
Tundra w/Regular Cab & Long Bed Only	00-02	30035	58197	30095	
Tundra w/Regular Cab & Long Bed Only	03-06	30035	58197	30095	

*Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder. Will not fit trucks with flareside/stepside.*

